

CLIENT

REPLANET **800 NEW HAVEN AVE** SUITE 120 ONTARIO, CA. 91764 951.515.2705

CONSULTANT

PERMIT ADVISORS 8370 WILSHIRE BLVD, SUITE 330 BEVERLY HILLS, CA 90212 ROY HASSON, PROJECT MANAGER ROY@PERMITADVISORS.COM 310.275.7774 OFFICE 310.663.2365 CELL

PROJECT

REPLANET RECYCLING @STATER BROTHERS #189 32281 MISSION TRAIL LAKE ELSINORE, CA 92530





AERIAL

NORTH

PROJECT DIRECTORY

TE PUNI

VICINITY MAP

LANS DRAWN BY

DANIEL MARZIGLIANO

ARCHITECTURAL DESIGNER 310,869,9760

PROJECT:	
DATE:	8.18,2018
BEALET	

REVISION/ISSUE

DATE

8370 WILSHIRE BLVD. #330 BEVERLY HILLS, CA 9021 1
EMAIL INFO@PERMITADVISORS.COM

WEBSITE, WWW.PERMITADVISORS,COM

COVER SHEET

SCOPE OF WORK

TO PERMIT AN EXISTING REPLANET RECYCLING KIOSK IN CONJUNCTION WITH STATER BROS SUPER MARKET # $189\,$

BUILDING DATA

OCCUPANCY GROUP S-1 TYPE OF CONSTRUCTION: V-B SPRINKLER SYSTEM: NOT REQUIRED BUILDING FLOOR AREA: 496 SQ FT. BUILDING HEIGHT: 11'-8" NUMBER OF STORIES: 1

APPLICABLE CODES

CALFORNIA BUILDING: 2016 EDITION CALIFORNIA FIRE: 2016 EDITION CALIFORNIA MECHANICAL: 2016 EDITION CALIFORNIA ELECTRICAL: 2016 EDITION **CALIFORNIA ENERGY: 2016 EDITION**

Best Management Practices Plan

rePLANET, LLC provides CRV (California Redemption Value) buyback services to grocery stores throughout the state of CA, Our recycling center is a pre-fabricated unit with a foot print of 496 square feet. The unit consists of two fully enclosed storage roll off bins that fit into a building façade which serves as the front of the center. At the front, the center is also equipped with two Reverse Vending Machines. The unit is skid-mounted and moveable with a standard

During operating hours, the recycling center is staffed with a well-trained site attendant who receives, weighs and stores the recycling materials in the storage bins. Clients are given a voucher redeemable for cash at the supermarket's cash register or customer service desk, The Reverse Vending Machines operate from 7am to 7pm weekdays, and from 10am – 6pm on weekends and holidays, The staffed hours are 9am – 5pm on weekdays and from 10am – 6pm on weekends and holidays.

The recycling center only accepts CRV glass, plastic and aluminum beverage containers. All recyclable materials are stored in roll-off bins and secured inside the facility. When full, the roll-off bins are pick-up and returned by a roll-off truck, The storage bin exchanges are schedule weekly depending on the volume of the site in order to prevent storage bins from


The recycling center is cleaned on a daily basis. Upon arrival and in preparation for opening, our site attendants pick up any accumulated litter/trash. If any debris or undesirable materials have been left, the site attendant arranges to have the debris removed. During the hours of operation, the attendant maintains the facility clean by regularly walking around and collecting any litter that may accumulate. The trash is kept in trash cans and discarded at the end of the day, All beverage container spills are cleaned with a mop and bucket and discarded in the grocery stores restroom.

We power wash our sites twice a month. We have two commercial grade pressure washing / steam cleaning units. Both pressure washers are capable of producing 3,500 psi and 200 degree temperature water. This is an effective way of cleaning parking area pavement, sidewalk surfaces of dirt, grime, gum, drink stains and other surface debris. Our maintenance crews are trained and understand the importance of storm water management programs. We have the ability to block the storm drains and pump the waste water into the appropriate sanitary outlet which will protect the property owners and managers from storm water violations, All our recycling center facilities are visited by trained supervisors on a weekly basis. When necessary, abandoned shopping carts are collected and removed,


SHEET	DESCRIPTION	REVISION
T-1	COVER SHEET	
SP-1	SITE PLAN	
A-1	ELEVATIONS	
A-2	SPECIFICATIONS	
	SI	HEET INDEX

SCOPE OF WORK

BEST MANAGEMENT PRACTICES



Mission Trail



ENLARGED SITE PLAN

City of Lake Elsinore
Community Development Department
Building & Safety Division
130 South Main Street
Lake Elsinore, CA 92530
Tel: (951) 674-3124
Fax (951) 471-1418

CITY JURISDICTION

ASSESSOR'S ID NO:
ADDRESS:
365280019-0
32281 MISSION TRAIL
LAKE ELSINORE, CA 92530
PROPERTY TYPE:
COMMERCIAL
LEGAL DISCRIPTION:
LOT 1 PM 140/041 PM21962
Jurisdiction:
LAKE ELSINORE
Sphere of Influence:
LAKE ELSINORE

Area Information Recorded Size

PARKING CALCULATIONS

4.09 ACRES

STATER BROS 41,370 Sq Ft
TOTAL SQ FT OF
ALL STRUCTURES 196,137 SQ FT
1 SPACE PER 300 SQ FT FLOOR AREA
REQUIRED PARKING: 653
PROVIDED PARKING: 7

REMAINING PARKING: 354

PARKING CALCULATIONS



ASSESOR MAP



VICINITY MAP



SATELLITE IMAGE



8370 WILBHIRE BLVD #330 BEVERLY HILLB, CA 90211 T 310-275-7774 FAX, 310-881-1135

BOJEST NAME AND ADDRESS



CONBULTANT



DANIEL MARZIGLIANO ARCHITECTURAL DESIGNER

01	

PROJECT INFORMATIO


PROJECTI	
DATE: 5	1.2018
SCALE	

BHEET TITLE

SITE PLAN

BHEET NUMBER

SP-1





B370 WILBHIRE BLVD #330 BEVERLY HILLB, CA 90211 T 310-275-7774 FAX, 310-881-1135 WWW.PERMITAOVIBORS.COM



PLANS DRAWN BY:

DANIEL MARZIGLIANO
ARCHITECTURAL DESIGNER

210.860.9760


PROJECT INFORMA

PROJECTI	
DATE:	5.1.2018
SCALE	

PROPOSED
PLANS AND
ELEVATIONS

HEET NUHBE

A-1



FEATURES

Recycling beverage containers is good for every community.

rePLANET operates more than 6.50 recycling centers throughout the state of California Our innovative centers take recycling to a whole new level by providing a clean, soft, convenient and friendly evintroment to recycle CRV used beercage combines; while providing an automated, self-service state of the same time, Couteres have the choice of returning empty containers to a highly trained recycling secolation or utilize the automated recycling and contains where available.

Here are some of the features that make rePLANET recycling centers the ideal choice for your community.

ATTRACTIVE APPEARANCE

rePLANET integrated centers feature state-of-the-art designs that confine operational activities to the inside of the integrated kiosks, Exteriors are well lighted for customer convenience and sofiety when using the Reverse Vending each facility is maintained to the highest standards.





PROFESSIONAL SLAFE AND SUPERIOR CONTROLL STATE AND SUPERIOR CONTROLL STATE BOTH AND THE BEAVE BEING SURGED TO THE STATE SUPERIOR SEAMLESS IMPLEMENTATION

Once plans are in place to establish a recycling facility, rePLANET takes care of everything else. Our professional development and facilities managers handle all the details, including, state certification, permitting, licensing, electrical

REGULATORY COMPLANCE
All rePLANET locotions are state certified and meet all
requirements for supermortal and other bewrage retailers
to comply with the state of California's Beverage Container
Recycling Law (AB2020).

FULL SERVICE
All collection, transportation and marketing of CRV
containers is handled by rePLANET LLC., a fully integrated
company with unmatched expertise in the recycling and
tood packaging industry.



Below are many site configurations available to serve our gracer partners. There are also additional concepts currently in the development stages and rePLANET is also committed to warking on custom recycling solutions with their gracer partners.

Our integrated recycling unit is this only solution in the industry that offers 3-points of customer service and it designed to handle higher volumes with case. This solution has Revenu Vending Modifies and recycling automers have the option to reclaim their material within an or-that entended resis on customers have the option to reclaim very dang unit can accommodate two to four RVM Modifies in a statement design and is always accomposable by 2 real off bins. The roll-off bins are optically 21 ft. in length and a 17th 3-46 occuss bin solution is available to address unique site configuration constraints. Integrated Units range from 336 to 480 sq. ft in size.

Traditional beoyding Units consists of two [2]: 2 (if nall-off bins which encompass 384 sq. f. Traditional unit one placed when here is brinked space on a groos parting lot as their lost print is slightly smaller than our integrated unit. We also have a sleep bin options which without self-one from 50 step bin options which withself self-one from 50 step bin options which withself self-one from 50 step bin options which withself self-one from 50 step bin options which withself-one from 50 step bin options which withself-one from 50 step bin options which withself-one options from 50 step bin options which withself-one from 50 step bin options which withself-one from 50 step bin options which with options of the optio

rePLANET stand alone RVM sites typically include one to fear machines per place-ment. These RVM can be placed on the stone or outside on the stones sidewells. RVM solutions are used in unique to serve dily privilations and or with delicare property encongressent componies. RVMs along organs to comply with State Low in a variety of siluntions. Each RVM tokes up on average 9 sq. 8.



CA Beverage Container Recycling Act (AB2020)

California redemption value (CRV) less than 24 owners equals 5 cents; greater than or equal to 24 owners equals 10 cents.

- 1. Establish certified recycling center
- Redeam all empty beverage container at all open cash registers within stars
- 3. Pay \$100 per day to the state of





The attal of California creates convenient zones whereby supermortes must comply with dates regulations that a recycling center must be located within a care half miss and care as the control with a control miss and the control miss and the supermorter, the store is considered un-served. Un-served stores how so comply with the state low by one of the following:



Water is drawn on doily basis from a hose connected to an existing water connection. Water consumption to be a maximum of 600 gallons per month


INTEGRATED DIMENSIONS Our kiosk configuration utilizes 2 rolloff containers with pre-fabricated, steel roofs to secure collected commodity.












STORE FRONT = 144 sq. ft (8' x 18')



RePlanet Kiosk Site

Help Wanted
 Size: 24" x 18"
 Desc: Permanent Adhesive Vinyl Decal

b. "Recycling Machines Hours" Size: 18"x 13" Desc: Permanent Adhesive Vinyl Decal

C. | RVM Door Decal Size: 22,57x 11" Desc: Permanent Adhesive Vinyl Decal

Hours of Operation Size: 16.75* x 21.5* Desc: Permanent Adhesive Vinyl Decal

Warning* Size: 18" x 12.75* Desc: Permanent Adhesive Vinyl Decal

"Aluminum, Glass, Plastic" Size: 22.5" x 11"

Desc: Permanent Adhesive Vinyl Decal g <u>Logo</u> Size: 72" x 36"

Desc: Permanent Adhesive Decal mounted to 3/16*sign white acrylic panel h. "It Pays to Recycle"

Size: 46.75" x 12.125"

Desc: Permanent Adhesive Vinyl Decal **RVM Door Decal**

Size: 71,25 x 27
Desc: Permanent Adhesive Vinyl Decal "For Your Safety"

Size: 18" x 7"

Desc: Permanent Adhesive Vinyl Decal


k. *Ne Shopping Carts* 5lze: 18" x 7" Desc: Permanent Adhesive Vinyl Decal "No Lottering"

Size: 18"x 7" Desc: Permanent Adhesive Vinyl Decal m. "No Dumping" Size: 18" x 7" Desc: Permanent Adhesive Vinyl Decal

n. "No Cash on Premises" Size: 18" x 7"

Desc: Permanent Adhesive Vinyl Decal

FRONT ELEVATION



CONFAB CONSOLIDATED FABRICATORS Formed Style Roll-Off Storage Contain STREAMLINED, EXCLUSIVE STYLING Standard Specifications Steel, streamfined, exclusive styling - designed to minimize rust. All steel construction, 14 GA sides and roof, 12 GA floor. Low maintenance, Two standard sizes - 26'x 8' high and 22'x 7' high. Double end hook-up, 4"x 6" nose rollers with grease fittings and 1/2" extes. . Double security doors at each end, with day lock. Choice of three standard roof styles – flat, 2* peaked or 6* peaked. 6" Structural channel main rails. Cross members at 16" centerlines. . 10"x 8" Stationary steel wheels with grease fittings. Various rack assemblies evaluate. . Interior alkyd primer and white alkyd enamel paint Exterior alkyd primer and painted your choice of standard alkyd enamel paint. Some colors may be extra: Bottom coaled with automotive underseal. 14670 ARMINTA STREET VAN NOVE, CALIFORN A \$1460 800 535 8235 TOLYAN 818 757 6312 ras CONFAB



8370 WILSHIRE BLVD #330 BEVERLY HILLS, CA 90211 T 310-275-7774 FAX: 310-881-1135 WWW.PERMITADVISORS.COM



PLANS DRAWN BY:

ARCHITECTURAL DESIGNER

REVISION/ISSUE

DATE

PROJECTI 5.1.2018 DATE

REPLANET SPECIFICATIONS

A-2